ELSEVIER

Volumes 153–154, 10 November 2004

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

On the resistance spot weldability of galvanized interstitial free steel sheets with austenitic stainless steel sheets 1
M. Vural, A. Akkus

A comparison of elevated temperature erosion resistance of four new HVCC coatings with other wire sprayed coatings 7
B.Q. Wang

A constitutive model for finite deformation of endochronic plasticity in powder forming processes 12
A.R. Khoei, A. Bakhshiani

Coupled temperature–displacement modelling of injection stretch-blow moulding of PET bottles using Buckley model 20
Z.J. Yang, E. Harkin-Jones, G.H. Menary, C.G. Armstrong

A note on rapid metal composite tooling by selective laser sintering 28
B. ÓDonnchadha, A. Tansey

Comparison of gases applications to wet and dry cuttings in turning 35
O. Çakır, M. Kıyak, E. Altan

Twin roll casting of aluminum alloy strips 42
T. Haga, K. Tkahashi, M. Ikawaand, H. Watari

Effect of microstructure and hardness on the machinability of medium-carbon chrome-molybdenum steel 48
T. Akasawa, I. Fukuda, K. Nakamura, T. Tanaka

Study on ring compression test using physical modelling and FE simulation 54
T. Robinson, H. Ou, C.G. Armstrong

Incremental forming of solid cylindrical components using flow forming principles 60
C.C. Wong, T.A. Dean, J. Lin

Modelling and simulation environment for machining of low-rigidity components 67
S. Ratchev, W. Huang, S. Liu, A.A. Becker

FEA modelling of setting and mechanical testing of aluminum blind rivets 74
B. Kelly, C. Costello

Application of impact tensile testing to spot welded sheets 80
E. Bayraktar, D. Kaplan, M. Grumbach

Mechanical and metallurgical investigation of martensite–austenite constituents in simulated welding conditions 87
E. Bayraktar, D. Kaplan

Ductile–brittle transition behavior of rolled chromium 93
Y. Harada, M. Ohmori

Theoretical and experimental analysis of the rolling process of bimetallic rods Cu-steel and Cu-Al 100
H. Dyja, S. Mróz, A. Milenin

Simulation of metal forming during multi-pass rolling of shape bars 108
A.A. Milenin, H. Dyja, S. Mróz

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: **http://contentsdirect.elsevier.com**

Elsevier B.V.

3D FEM modelling and its experimental verification of the rolling of reinforcement rod. 115
H. Dyja, P. Szota, S. Mroz

Constitutive modelling of primary creep for age forming an aluminium alloy 122
K.C. Ho, J. Lin, T.A. Dean

Development of a novel method of tube bending using finite element simulation 128
S. Baudin, P. Ray, B.J. Mac Donald, M.S.J. Hashmi

A flexible force model for end milling of low-rigidity parts. 134
S. Ratchev, S. Liu, W. Huang, A.A. Becker

Impact properties of floor coverings and their role during simulated hip fractures 139
F. Nabhani, J.S. Bamford

Mandrel drawing and plug drawing of shape-memory-alloy fine tubes used in catheters and stents. 145
K. Yoshida, H. Furuya

Friction modelling for the physical simulation of the bulk metal forming processes 151
F. Fereshteh-Saniee, I. Pillinger, P. Hartley

A new CAD system for finisher die design of an axisymmetric forging component with arbitrary profile 157
F. Fereshteh-Saniee, B. Daneshzad-Moghaddam

Long-term ageing behaviour of martensite in shape memory Cu–Al–Ni alloys. 164
A. Aydogdu, Y. Aydogdu, O. Adiguzel

Surface modification of tool steel by MOS_2 powder shooting. 170
K. Hanada, Q. Zhang, K. Umeda, M. Ishiwata, M. Tsukita

Biomechanical evaluation of external ankle arthrodesis contact area and pressure distribution 174
C.J. Connor, F. Nabhani

A model of the trapping media in *micro*FLASH® memory cells 179
R. Avichail-Bibi, D. Fuks, A. Kiv, T. Maximova, Y. Roizin, M. Gutman

The influence of hot deformation on the exfoliation corrosion behaviour of aluminium alloy 2025. 185
T.Y. Liu, J.S. Robinson, M.A. McCarthy

Effect of copper and solidification conditions on the microstructure and mechanical properties of Al–Si–Mg alloys. 193
S.G. Shabestari, H. Moemeni

Electron beam surface melting of as cast and austempered ductile irons 199
M. Heydarzadeh Sohi, G. Karshenas, S.M.A. Boutorabi

The role of austempering parameters on the structure and mechanical properties of heavy section ADI 203
M. Heydarzadeh Sohi, M. Nili Ahmadabadi, A. Bahrami Vahdat

Effects of casting process variables on the residual stress in Ni-base superalloys 209
H. Farhangi, S. Norouzi, M. Nili-Ahmadabadi

Material selection in the design of electrical connectors 213
M. Buggy, C. Conlon

Deformation behavior of Inconel 690 super alloy evaluated by impact test 219
W.-S. Lee, C.-Y. Liu, T.-N. Sun

Implementation and benefits of introducing a computerised maintenance management system into a textile manufacturing company 226
C.D. O'Donoghue, J.G. Prendergast

Finite element analysis of ultrasonically assisted turning of Inconel 718 233
A.V. Mitrofanov, V.I. Babitsky, V.V. Silberschmidt

The development of a tri-material system and appropriate bonding parameters for the thermal bonding of flat leads 240
F.M. Coughlan, H.J. Lewis

Cold roll forming for high tensile strength steel sheet proposition on forming of thin spring steel sheet pipe. 247
H. Ona

Failure modes and effects analysis through knowledge modelling. 253
P.C. Teoh, K. Case

Cutting sharpness measurement: a critical review 261
G.A. Reilly, B.A.O. McCormack, D. Taylor

Tool cutting force modeling in ball-end milling using multilevel perceptron 268
U. Zuperl, F. Cus

Tool wear prediction in turning 276
S.K. Choudhury, P. Srinivas

Study of plastic deformation modes in zirconium by color image analysis 281
A. Dussieux, P. Gouton, F. Buy, C. Voltz

An atmospheric microwave plasma jet for ceramic material processing 288
S.R. Wylie, A.I. Al-Shamma'a, J. Lucas, R.A. Stuart

2.45 GHz microwave plasma system for high-velocity thermal spraying 294
P. Mavromatidis, A. Shaw, A.I. Al-Shamma'a, J. Lucas, W. Lucas

Effect of macrostructure and microstructure on the viscosity of the A356 alloy in the semi-solid state 300
E.J. Zoqui, M. Paes, M.H. Robert

Efficient algorithmic approach for mixed-lubrication in cold rolling 307
A. Stephany, J.P. Ponthot, C. Collette, J. Schelings

Numerical simulation of springback using enhanced assumed strain elements 314
Q.V. Bui, L. Papeleux, J.P. Ponthot

Optimisation of magnesium alloy stamping with local heating and cooling using the finite element method 319
S. Yoshihara, B.J. MacDonald, H. Nishimura, H. Yamamoto, K. Manabe

Manufacturing of composite workpieces with rolling tools 323
M. Hagedorn, K. Weinert

Investigating the mechanisms that cause quench cracking in aluminium alloy 7010 330
T.P. Earle, J.S. Robinson, J.J. Colvin

Knowledge-based process selection for rotationally symmetric and rotationally non-symmetric components in cold forming 338
H. Long, D.J. Mynors, P. Holland, P. Standring

Residual stress reduction in 7175-T73, 6061-T6 and 2017A-T4 aluminium alloys using quench factor analysis 346
G.P. Dolan, J.S. Robinson

Numerical simulations of hot die forging processes using finite element method 352
B.I. Tomov, V.I. Gagov, R.H. Radev

The effect of surface pretreatment and moisture on the fatigue performance of adhesively-bonded aluminium 359
M.W. Rushforth, P. Bowen, E. McAlpine, X. Zhou, G.E. Thompson

The prediction of seam welds quality in aluminum extrusion 366
L. Donati, L. Tomesani

The effect of combined cycle fatigue upon the fatigue performance of TI–6AL–4V fan blade material 374
C. Dungey, P. Bowen

Evaluation of the aesthetics of products and integration of the findings in a proposed intelligent design system 380
A. Rashid, B.J. Mac Donald, M.S.J. Hashmi

Computer simulation of the thermal regime of double-loop channel induction furnaces 386
J.I. Ghojel, R.N. Ibrahim

Eliminating post-weld heat treatment in repair welding by temper bead technique: role bead sequence in metallurgical changes 392
A.S. Aloraier, R.N. Ibrahim, J. Ghojel

Development of polymer–ceramic composites for improved fire resistance 401
L.G. Hanu, G.P. Simon, J. Mansouri, R.P. Burford, Y.B. Cheng

Microscopic study regarding the microstructure evolution of the 8006 alloy in the plastic deformation process 408
P. Moldovan, G. Popescu, F. Miculescu

Analysis of P/M hollow extrusion using design of experiments 416
K. Raghukandan, T. Senthilvelan

Estimation of extrusion stress for sintered P/M preforms-nomogram approach 420
T. Senthilvelan, K. Raghukandan, A. Venkatraman

Numerical and experimental investigations of forming limit diagrams in metal sheets 424
M. Samuel

Modeling of steel microstructure evolution during thermo-mechanical rolling of plate for conveying pipes 432
P. Korczak

Resistance spot welding simulation: a general finite element formulation of electrothermal contact conditions 436
E. Feulvarch, V. Robin, J.M. Bergheau

Semi-solid die casting process with three steps die system. 442
P.K. Seo, K.J. Park, C.G. Kang

Numerical visualization of viscosity in phase transformation forming process with controlled liquid fraction. 450
P.K. Seo, M.D. Lim, C.G. Kang

3D modelling of multipass welding of a 316L stainless steel pipe 457
P. Duranton, J. Devaux, V. Robin, P. Gilles, J.M. Bergheau

Improved prediction of springback on final formed components 464
H.B. Mullan

The mechanochemical processing of aerospace metals 472
F.H. Froes, B. Trindade

Distortions induced by heat treatment of automotive bevel gears 476
J.R. Cho, W.J. Kang, M.G. Kim, J.H. Lee, Y.S. Lee, W.B. Bae

The effect of intercritical heat treatment on the mechanical properties of AISI 3115 steel 482
M.A. Maleque, Y.M. Poon, H.H. Masjuki

A study of abrasive waterjet characteristics by CFD simulation 488
H. Liu, J. Wang, N. Kelson, R.J. Brown

Computational mechanics of laser cladding process 494
C. Cho, G. Zhao, S.-Y. Kwak, C.B. Kim

Influence of some relevant process parameters on the dimensional accuracy in incremental forming: a numerical and experimental investigation 501
G. Ambrogio, I. Costantino, L. De Napoli, L. Filice, L. Fratini, M. Muzzupappa

Total hip performance under magnetic field 508
M. Zaki, A. Aljinaidi, M. Hamed

Thermal properties of diamond particle-dispersed Cu composites 514
K. Hanada, K. Matsuzaki, T. Sano

Ageing time of wettability on polypropylene surfaces processed by cold plasma 519
L. Carrino, W. Polini, L. Sorrentino

Composite rapid prototyping: overcoming the drawback of poor mechanical properties. 526
D. Karalekas, K. Antoniou

Fourier thermal analysis of the solidification kinetics in A356/SiC_p cast composites. 531
J.C. Baez, C. Gonzalez, M.R. Chavez, M. Castro, J. Juarez

Fracture toughness of welds—effect of brittle zones and strength mismatch. 537
J. Neves, A. Loureiro

Numerical prediction of bursting failure in tube hydroforming by the FEM considering plastic anisotropy 544
J. Kim, B.S. Kang, S.M. Hwang, H.J. Park

Comparison stamping and hydro-mechanical forming process for an automobile fuel tank using finite element method 550
J. Kim, B.M. Son, B.S. Kang, S.M. Hwang, H.J. Park

Finite grain-element analysis and its experimental confirmation of micro-yoke forming 558
T.W. Ku, B.S. Kang, S.M. Hwang

Study on mechanism of mechanical damping system based on the colloidal suspension of nano-porous particles. 565
W.J. Song, J. Kim, B.Y. Moon, B.S. Kang, S.M. Hwang

Theoretical and experimental analysis of the effect of die shape on the internal quality of forged rods 571
G. Banaszek, H. Dyja, S. Berski, M. Janik

Two-dimensional thermomechanical analysis of continuous casting process. 578
M. Janik, H. Dyja, S. Berski, G. Banaszek

Theoretical analysis of bimetallic rods extrusion process in double reduction die 583
S. Berski, H. Dyja, G. Banaszek, M. Janik

Development of high-manganese steels for heavy duty cast-to-shape applications. 589
R.W. Smith, A. DeMonte, W.B.F. Mackay

Weldability of austenitic manganese steel 596
J. Mendez, M. Ghoreshy, W.B.F. Mackay, T.J.N. Smith, R.W. Smith

Effect of heat treatment on the tensile properties of Al–Li alloys 603
M.L. Bairwa, P.P. Date

Evolution of void growth around cylindrical inclusions using the VOF technique 608
P.A. Kakavas, C. Stamoutsos, G. Kabouridis

The effect of single and multiple overloads on the fatigue crack growth of high strength titanium aluminides 615
T.P. Halford, P. Bowen

Drilling of conventional cast stainless steel with HIPed NiTi coating 622
J.A. Paro, T.E. Gustafsson, J. Koskinen

Hot extrusion reaction synthesis of nickel, titanium and iron aluminides 630
E.J. Minay, R.D. Rawlings, H.B. McShane

Effect of rheocast and thixocast characteristics of eutectic Lead–Tin alloy sheet on deep drawing 637
K. Kalaichelvan, R. Sivaramakrishnan, V.P. Saravanakumar, A. Joseph Stanley, S. Venkataswamy

A study on genetic algorithm to select architecture of a optimal neural network in the hot rolling process 643
J.S. Son, D.M. Lee, I.S. Kim, S.K. Choi

A study on an intelligent system to predict the tensile stress in welding using solar energy concentration 649
I.S. Kim, Y.K.D.V. Prasad, L.A. Stoynov

Machining characteristics of electroslag cast steel for hot-working tools 654
Y.H. Moon, J.W. Kim, D.W. Lee

Microstructural instability in coated single crystal superalloys 660
M. Reid, M.J. Pomeroy, J.S. Robinson

Polishing pad surface characterisation in chemical mechanical planarisation 666
J. McGrath, C. Davis

The application of advances in quench factor analysis property prediction to the heat treatment of 7010 aluminium alloy 674
R.J. Flynn, J.S. Robinson

Microstructure and properties of the new Pt–Rh based alloys for high-temperature applications 681
Z.M. Rdzawski, J.P. Stobrawa

Web-based material properties for use with metalforming simulation packages. 688
D.J. Mynors, P. Broomhead, R.J. Grieve

Representing the superplasticity of Inconel 718 694
B. Zhang, D.J. Mynors, A. Mugarra, K. Ostolaza

Tribological characteristics and cutting performance of $Cr_{x\%}C$-coated carbide tools 699
Y.L. Su, T.H. Liu, C.T. Su, J.P. Yur, W.H. Kao, S.H. Yao

Lubricant flow between rough surfaces during closed-die forming 707
F. Hélénon, E. Vidal-Sallé, J.-C. Boyer

Integrity of ground cylindrical surface. 714
F. Holesovsky, M. Hrala

New method of thread rolling. 722
Z. Pater, A. Gontarz, W. Weroński

Application of the slip-line field method to the analysis of die cavity filling 729
G. Samolyk, Z. Pater

Head forging aspects of new forming process of screw spike. 736
A. Gontarz, Z. Pater, W. Weroński

Monte Carlo simulation of the effective thermal conductivity in two-phase material 741
I.V. Belova, G.E. Murch

Identification of cutting errors in precision hard turning process. 746
J.M. Zhou, M. Andersson, J.E. Ståhl

Machining characteristics of novel-abrasion resistant iron 751
J.M. Zhou, A. Nilsson, M. Andersson, J.E. Ståhl

Role of segregation and precipitates on interfacial strengthening mechanisms in SiC reinforced aluminium alloy when subjected to thermomechanical processing 758
S.T. Hasan, J.H. Beynon, R.G. Faulkner

Direct and inverted open die extrusion (ODE) of rods and tubes 765
K. Srinivasan, P. Venugopal

Prediction of high temperature demixing in oxides in an electric field or an oxygen potential gradient 771
M.J. Brown, I.V. Belova, G.E. Murch

Process design and blank modification in the multistage rectangular deep drawing of an extreme aspect ratio 778
C.S. Park, T.W. Ku, B.S. Kang, S.M. Hwang

Magnetic modelling at nanoscale level 785
A. Boboc, I.Z. Rahman, M.A. Rahman

Magneto-impedance effect in Co-based metallic glass ribbons 791
I.Z. Rahman, Md. Kamruzzaman, M.A. Rahman

Study on the properties of the copper substituted NiZn ferrites 797
T.T. Ahmed, I.Z. Rahman, M.A. Rahman

Characterization of DLC coatings deposited by rf magnetron sputtering 804
S. Chowdhury, M.T. Laugier, I.Z. Rahman

Characterisation of electrodeposited nickel nanowires using NCA template 811
I.Z. Rahman, K.M. Razeeb, Md. Kamruzzaman, M. Serantoni

Design improvement of spin forming of magnesium alloy tubes using finite element 816
S. Yoshihara, B. Mac Donald, T. Hasegawa, M. Kawahara, H. Yamamoto

Development of a computer-aided-design system of cold forward extrusion of a spur gear 821
J.H. Song, Y.T. Im

Thermal stability and mechanical properties of Al-based amorphous alloys 829
M. Gögebakan, O. Uzun

Tribological (wear) properties of aluminum–silicon eutectic base alloy under dry sliding condition 833
T. Yasmin, A.A. Khalid, M.M. Haque

Conversion of the hot torsion test results into flow curve with multiple regimes of hardening 839
S. Khoddam, P.D. Hodgson

Finite element modelling of an Al–Mn alloy by equal channel angular extrusion (ECAE) 846
C.J. Luis-Pérez, R. Luri-Irigoyen, D. Gastón-Ochoa

Image analysis automation of spheroidal cast iron 853
A. Scozzafava, L. Tomesani, A. Zucchelli

Processing of high-performance anisotropic permanent magnets by die-upset forging 860
M. Leonowicz, D. Derewnicka, M. Wozniak, H.A. Davies

Fracture resistance behavior of alumina–zirconia composites 868
M. Szutkowska

Vibration and casting surface finish 875
M.T. Alonso Rasgado, K. Davey

Effect of the heat treatment on the hot deformation behaviour of AA6082 alloy 881
B. Zhang, T.N. Baker

Modeling the thermal and thermoelastic responses of work rolls used for hot rolling steel strip 886
R.L. Corral, R. Colás, A. Pérez

Computer simulation of the thermal behaviour of a work roll during hot rolling of steel strip 894
A. Pérez, R.L. Corral, R. Fuentes, R. Colás

The optimal cutter orientation in ball end milling of cantilever-shaped thin plate 900
C.M. Lee, S.W. Kim, Y.H. Lee, D.W. Lee

Estimate of consumed energy at backward extrusion process by means of modelling approach 907
B. Barisic, G. Cukor, M. Math

Experimental investigation on forming defects in flat surface–convex edge hemming: roll, recoil and warp 913
H. Livatyali, S.J. Larris

Modelling of machinability parameters of carbon–carbon composite—a response surface approach 920
P.M. George, B.K. Raghunath, L.M. Manocha, A.M. Warrier

Optimization of shot peening parameters using Taguchi technique 925
P.M. George, N. Pillai, N. Shah

The significance of weld imperfections and surface peening on fatigue crack propagation life of butt-welded joints 931
M.A. Wahab, M.S. Alam

Fracture mechanics evaluation of a 0.5Mo carbon steel subjected to high temperature hydrogen attack 938
M.A. Wahab, B.M. Saba, A. Raman

Experimental study on the influence of overload induced residual stress field on fatigue crack growth in aluminium alloy 945
M.A. Wahab, G.R. Rohrsheim, J.H. Park

Powder metallurgy processing of ruthenium aluminum alloys 952
A. Bora, P.P. Singha, P.S. Robi, A. Srinivasan

A low cost knowledge base system framework for progressive die design 958
S. Kumar, R. Singh

Preparation and characterization of ferromagnetic shape memory alloys 965
P. Gupta, P.S. Robi, P.P. Singha, A. Srinivasan

Thermal stresses developed in weld-bonded joints 971
S.M. Darwish, A. Al-Samhan

Electric discharge machining of Al–SiC metal matrix composites using rotary tube electrode 978
B. Mohan, A. Rajadurai, K.G. Satyanarayana

Finite element analysis of the residual stress by cold expansion method under the influence of adjacent holes. 986
C. Kim, D.-J. Kim, C.-S. Seok, W.-H. Yang

A finite element analysis study of micromechanical interfacial characteristics of metal matrix composites 992
S. Balasivanandha Prabu, L. Karunamoorthy, G.S. Kandasami

Effect of precipitation during quenching on the mechanical properties of the aluminium alloy 7010 in the W-temper. 998
D.A. Tanner, J.S. Robinson

A study on the development of center carrier type progressive die for U-bending part process. 1005
S.-B. Sim, S.-T. Lee, C.-H. Jang

Simulation of friction welding using a developed computer program. 1011
M. Sahin

Determination of work material flow stress and friction for FEA of machining using orthogonal cutting tests 1019
T. Özel, E. Zeren

Analysis of the influence of EDM parameters on surface quality, MRR and EW of WC–Co 1026
I. Puertas, C.J. Luis, L. Álvarez

A study on the electrical discharge machining of conductive ceramics 1033
I. Puertas, C.J. Luis

Analysis of the influence of chemical composition on the mechanical and metallurgical properties of engine cylinder blocks in grey cast iron 1039
L. Álvarez, C.J. Luis, I. Puertas

Effect of high-pressure coolant supply when machining nickel-base, Inconel 718, alloy with coated carbide tools 1045
E.O. Ezugwu, J. Bonney

High-strain-rate testing of beryllium copper at elevated temperatures 1051
M.F. Quinlan, M.T. Hillery

Preparation of nickel and copper submicrometer particles by pyrolysis of their formates. 1058
V. Rosenband, A. Gany

Performance of P10 TiN coated carbide tools when end milling AISI H13 tool steel at high cutting speed 1062
J.A. Ghani, I.A. Choudhury, H.H. Masjuki

Wear mechanism of TiN coated carbide and uncoated cermets tools at high cutting speed applications. 1067
J.A. Ghani, I.A. Choudhury, H.H. Masjuki

Laser removal of micron contaminant colloidal refractory and poor laser absorption particles from super-smooth optical substrate 1074
M. Hua, X. Shi, E. Cheung, W. Yuan

Analysis of the elastic characteristics at die and workpiece to improve the dimensional accuracy for cold forged part 1081
Y.S. Lee, J.H. Lee, Y.N. Kwon, T. Ishikawa

Thermal fatigue testing of chromium martensitic hot-work tool steel after different austenitizing treatments 1089
J. Sjöström, J. Bergström

Fabrication of a polymer microstructure by a modified DXRL process 1097
J.T. Kim, S.-P. Han